

## Technical Data Sheet

### PE Conjugated Human CD171/L1CAM Protein (C-His)

**Catalog Number:** 805301, 805302

**Size:** 25 ug, 100 ug

**Target Name:** CD171, L1CAM

**Regulatory Status:** RUO

#### Product Details

---

**Application:** FC

**Format:** Liquid, PE

**Expression Host:** CHO

**Species:** Human

**Sources:** Recombinant Human CD171/L1CAM protein (Ile20-Glu1120) with C-terminus His tag is expressed in CHO cells and conjugated to PE

**Accession Number:** P32004

**Molecular Weight:** The protein has a predicted molecular weight of 124.7 kDa. Under DTT-reducing conditions, it migrates at approximately 160-200 kDa on SDS-PAGE.

**Affinity Tag:** C-His

**Formulation:** 1xPBS buffer, pH7.4, 0.09% NaN<sub>3</sub> with a carrier protein

**Endotoxin level:** Not tested

**Protein Concentration:** 25µg size is bottled at 0.1mg/mL concentration. 100 µg size is bottled at lot specific concentration.

**Storage and Handling:** Briefly centrifuge the vial upon receipt. An unopened vial may be stored at 2–8°C for up to six months.

#### Background Information

---

CD171, also known as L1CAM or L1, is a 200–220 kD transmembrane glycoprotein and a member of the immunoglobulin superfamily, originally identified for its essential role in nervous system development. It mediates neuron-neuron adhesion, axon guidance, signal transduction, cell migration, and differentiation. Although initially thought to be restricted to neural tissue, L1CAM has since been detected in various non-neural tissues and numerous cancer types. Its expression in tumors is associated with increased cell motility, proliferation, treatment resistance, and poor prognosis, making it a promising target for anti-cancer therapy. Mutations in the L1CAM gene are responsible for the CRASH spectrum of X-linked neurological disorders, including corpus callosum hypoplasia, mental retardation, aphasia, spastic paraplegia, and hydrocephalus. L1CAM interacts with several ligands such as integrins, axonin-1, CD9, and neurocan, with the RGD motif in its sixth Ig domain playing a key role in integrin binding and intracellular signaling.