

## Mouse OX40 (CD134) Protein (C-Fc)

<b>Catalog Number:</b>	818701, 818702
<b>Size:</b>	25 ug, 100 ug
<b>Target Name:</b>	TNFRSF4, OX40, CD134, OX40L receptor
<b>Regulatory Status:</b>	RUO

### PRODUCT DETAILS

---

<b>Application:</b>	ELISA, BLI
<b>Format:</b>	Liquid, Purified
<b>Expression Host:</b>	CHO
<b>Species:</b>	Mouse
<b>Sources:</b>	Recombinant Mouse OX40 (Val20-Pro211) with C-terminus Fc tag is expressed in CHO cell.
<b>Accession Number:</b>	P47741
<b>Molecular Weight:</b>	The protein has a predicted molecular weight of 47.8 kDa. Under DTT-reducing conditions, it migrates at approximately 60 kDa on SDS-PAGE.
<b>Affinity Tag:</b>	C-Fc
<b>Purity:</b>	>95% based on SDS-PAGE under reducing condition
<b>Formulation:</b>	1xPBS buffer, pH7.4, 0.22 µm filtered
<b>Endotoxin level:</b>	Less than 0.1 EU/µg protein as determined by the LAL method
<b>Protein Concentration:</b>	25µg size is bottled at 0.2mg/mL concentration. 100 µg size is supplied at a lot-specific concentration.
<b>Storage and Handling:</b>	Briefly centrifuge the vial upon receipt. An unopened vial can be stored at 4°C for up to 2 weeks, or at -20°C or below for up to six months. The protein may be further diluted to 0.1 mg/mL using 0.22 µm-filtered PBS buffer (pH 7.4). For long-term storage, the diluted stock solution should be aliquoted and stored at ≤ -70°C to minimize freeze-thaw cycles. If additional dilution is required, carrier proteins such as FBS or BSA should be added to maintain protein stability.


### BACKGROUND INFORMATION

---

OX40 (CD134) and its ligand OX40L (CD252), both part of the TNF receptor superfamily, play a key role in immune regulation. Their interaction is essential for T-cell expansion, survival, and cytokine production, influencing T cells, antigen-presenting cells, NK cells, and NKT cells. OX40-OX40L signaling helps break immune tolerance in malignancies, promoting antitumor immunity, and is also involved in the development of inflammatory and autoimmune diseases. Due to these regulatory effects, the OX40-OX40L pathway is a promising target for therapeutic interventions in both cancer and infectious diseases, with OX40 stimulation showing potential for therapeutic immunization strategies.

## PRODUCT DATA

---



Mouse OX40 (C-Fc) Protein on SDS-PAGE under non-reducing and reducing conditions. The gel was stained for 1 hour with BlinkBlue Protein Staining Buffer (Catalog 700102). The purity of this protein appears to be greater than 95%.

This product is supplied subject to the terms and conditions at [www.innocyto.com/web/terms.php](http://www.innocyto.com/web/terms.php) and may only be used as provided in the stated terms. Products are for Research Use Only.