

## Technical Data Sheet

### Anti-Mouse F4/80

**Catalog Number:** 202501, 202501

**Size:** 100 ug, 500 ug

**Target Name:** EMR1, Ly71

**Regulatory Status:** RUO

#### Product Details

---

**Clone:** BM8

**Application:** FC

**Reactivity:** Mouse

**Format:** Purified

**Isotype:** Rat IgG2a

**Antibody Type:** Monoclonal

**Formulation:** Phosphate-buffered solution, pH 7.2, containing 0.09% sodium azide

**Protein Concentration:** 0.5 mg/mL

**Storage&Handling:** The antibody solution should be stored between 2°C and 8°C

**Recommended Usage:** For flow cytometric staining, it is recommended to use less than 0.2 ug of this reagent per 0.5-1.0 million cells in a 100 µL volume. Optimal reagent performance should be determined by titration for each specific application.

**Release Date:** Dec-25


#### Background Information

---

F4/80 is a 160 kDa cell surface glycoprotein and a member of the epidermal growth factor (EGF)-transmembrane 7 (TM7) family of adhesion G-protein-coupled receptors. Also referred to as EMR1 or Ly71, F4/80 is a well-established marker of murine macrophages. It is broadly expressed on the majority of tissue-resident macrophages, including peritoneal macrophages, lung macrophages, gut lamina propria macrophages, thymic and bone marrow stromal macrophages, splenic red pulp macrophages, Kupffer cells in the liver, and Langerhans cells in the skin. Notably, F4/80 is absent from macrophages located in T cell zones of the spleen, lymph nodes, and Peyer's patches. It has also been detected on a subset of dendritic cells, reflecting its heterogeneous expression pattern that can vary with macrophage maturation and activation

#### Product Data

---



RAW267.4 were stained with either purified Anti-Mouse F4/80 clone BM8 (color-filled histogram) or an isotype control (gray histogram), followed by PE anti-rat IgG 2nd antibody.